02-16-00

A



PATENT APPLICATION Attorney's Do. No. 8371-35

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

EXPRESS MAIL

MAILING LABEL NO. EL253054690US DATE OF DEPOSIT: FEBRUARY 14, 2000

I HEREBY CERTIFY THAT THIS PAPER AND ENCLOSURES AND/OR FEE ARE BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 CFR 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO: BOX PATENT APPLICATION, ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON D.C. 20231.

AMANDA HALE-WISENER (SENDER'S PRINTED NAME)

(SIGNATURE)

Box Patent Application Assistant Commissioner for Patents Washington, D.C. 20231

Enclosed for filing is a patent application under 37 CFR 1.53(b) of: George Rome Borden, IV and Larry Alan Westerman entitled ELECTRONIC PROGRAMMING GUIDE BROWSING SYSTEM

This application is a [] continuation,	[] divisional, [] continuation-in-part of prior
application Serial No	

Enclosures:

- [X] Specification (pages 1-11); claims (pages 12-16); abstract (page 17)
- [X] 6 sheets of drawings
- [X] Declaration or Combined Declaration and Power of Attorney
 - [X] Newly executed
 - [] Copy from a prior application (37 CFR 1.63(d))
 - [] Incorporation by Reference--The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
 - [] Deletion of Inventors (signed statement attached deleting inventor(s) named in the prior application (37 CFR 1.63(d)(2) and 1.33(b)
- Power of Attorney
- [X] Assignment with cover sheet



[] Certified copy of priority document:	
[X] Information Disclosure Statement with Form PTO 144	49
[] Copies of references listed on attached Form PTO-144	9
Preliminary Amendment	

CLAIMS AS FILED					
For	Number Filed	Number Extra	Rate		Basic Fee \$760.00
Total Claims	21-20	1	x \$18.00	=	18.00
Independent Claims	3-3	0	x \$78.00	=	0.00
Multiple Dependent Claim Fee			x \$270.00	=	0.00
TOTAL FILING FEE					\$778.00

[]	Cancel in this divisional application	n original claims	of the prior
	application Serial No.	before calculating the filing fee	. (At least one
	original independent claim must be	e retained for filing purposes.)	

- [X] A check in the amount of \$818.00 to cover [X] filing fee (\$778.00) and [X] assignment recordal fee (\$40.00) is enclosed.
- [X] Any deficiency or overpayment should be charged or credited to deposit account number 13-1703. A duplicate copy of this sheet is enclosed.

Customer No. 20575

Respectfully submitted,

MARGER JOHNSON & McCOLLOM, P.C.

James E. Harris

Registration No. 40,013

MARGER, JOHNSON, & McCOLLOM, P.C. 1030 S.W. Morrison Street Portland, OR 97205 (503) 222-3613

10

15

20

ELECTRONIC PROGRAMMING GUIDE BROWSING SYSTEM

FIELD OF THE INVENTION

This present invention relates to electronic programming guides, and more particularly to a method and apparatus for interactively formatting electronic program guide information for display to a viewer.

BACKGROUND OF THE INVENTION

An electronic program guide (EPG) displays television programming information, on an attached television display, to a viewer. The hardware that creates the EPG display may reside within the television receiver, a video recorder, a cable TV set-top box, or it may be a separate unit. When the EPG display is activated, it allows a viewer to view programming information and interactively manipulate the displayed programming information with a remote control.

Figures 1 and 2 illustrate a basic EPG display 20 as disclosed in U.S. Patent 5,479,268, "User Interface for Television Schedule System", issued Dec. 26, 1995, to Patrick Young et al. EPG display 20 is arranged as three columns 28, 30, 32, of cells one-half hour in duration, and twelve rows, each row corresponding to one channel listing in channel column 26. Time row 22 indicates broadcast time slots for each of columns 28, 30, and 32. A status row 24 shows details for the currently tuned channel, time, date, etc. Program cells 34 occupy one or more horizontally adjacent column cells, depending on the length of the program, and display a title indicating the program scheduled in that time slot.

A viewer selects channels for tuning, recording, etc. using a cursor control on their remote control. The cursor control moves a visible cursor 36 on EPG display 20. For instance, in Figure 1 cursor 36 highlights the one-hour cell corresponding to the 11:00 and 11:30 AM timeslots on channel 5, for the program "The Young and the Restless". In Figure

25

5

2, the cursor has been moved up a row, highlighting the half-hour show "Golden Girls" on channel 4 at 11:00 AM.

Part of the invention of the '268 patent relates to the appearance and size of cursor 36. Instead of a cursor that jumps from program to program each time a viewer manipulates the cursor control sideways, the '268 patent uses a cursor that follows the underlying grid of cells corresponding to columns 28, 30, and 32. Thus a viewer who depressed a cursor right control while viewing the display of Figure 1 would still be selecting the same program—but the solid portion of the cursor would move to the 11:30 AM time slot. On the other hand, a viewer who depressed the cursor right control while viewing the display of Figure 2 would select a new program "News" at the 11:30 AM time slot. This cursor control mechanism is claimed to avoid abrupt changes in the screen appearance that are disconcerting to viewers, particularly where the cursor would move off the display unexpectedly and "page" to a new section of the EPG database.

A second feature of the '268 patent is also shown in Figure 2. By pressing a button on their remote, a viewer can activate a program note overlay 38 containing details about the currently selected program. Depending on where the cursor appears on the display, the program note overlay 38 will appear either near the bottom or near the top of display 28.

SUMMARY OF THE INVENTION

According to one aspect of the invention, a method for displaying an electronic program guide to a viewer is disclosed. The method comprises displaying multiple channel identifiers and multiple time slot identifiers on a display. Multiple program titles are also displayed, with each program title located in a display area corresponding to the displayed channel identifier of the channel carrying the program and the displayed time slot identifier corresponding to the time slot of the program. A program selection area, corresponding to a predefined selection region of the display, is fixed. In response to viewer requests, the

15

20

program titles on the display are scrolled, thus changing the program corresponding to the fixed program selection area.

BRIEF DESCRIPTION OF THE DRAWING

The invention may be best understood by reading the disclosure with reference to the drawing, wherein:

Figures 1 and 2 illustrate the operation of a prior art EPG system;

Figures 3, 4, and 5 illustrate the display appearance for three EPG display modes according to embodiments of the invention;

Figures 6 and 7 illustrate the display appearance for the EPG display mode shown in Figure 5, after display manipulation by a viewer;

Figures 8 and 9 show the display appearance for two different three-dimensional appearance EPG display modes according to embodiments of the invention;

Figure 10 shows the display appearance for an EPG display mode according to yet another embodiment of the invention;

Figure 11 shows in block diagram form an EPG display system according to an embodiment of the invention; and

Figure 12 shows in block diagram form an television tuner incorporating the EPG display system of Figure 11.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The roving cursor of the prior art, even with the improvements of the '268 patent, has several undesirable features. First, the paging operation can be confusing, since when it pages, the EPG moves large amounts of information with no visual cue. Because it is free to roam the entire display, the roving cursor requires that the viewer perform a visual search to locate the new cursor position each time the display pages. And when the cursor nears an edge of the display, the viewer cannot see some of the cells adjacent to the cursor until a

25

10

15

20

25

paging operation is performed. Also, when the program note overlay is used, the distance between the overlay and the selected program changes as the cursor is moved, and requires the viewer to shift their focus between the two by a changing spacing in order to navigate and read notes. Cursor movement-induced shifts in program note overlay position also hide cells and can be disconcerting to the viewer. A viewer can also be confused because some cursor movement operations seem to produce little or no change in the display.

The disclosed embodiments of the present invention can improve viewer interaction and the display of information for an EPG display. Instead of a roving cursor and a two-position program note overlay, a preferred embodiment of the present invention uses a stationary selection area and a selectable but stationary program note display area. The viewer in essence "scrolls" the EPG display to manipulate programs into the selection area. Each scroll can be accompanied by a visual scrolling cue or animation. Because the location of the selection area is constant and in a constant relationship (preferably adjacent) to the program note display area, the viewer need not search for these areas after every control manipulation. Further, a viewer wishing to select a program need only focus their view on that program and move it towards the selection area—all movements of the display can correspond with the viewer's control manipulation, making it easy for the viewer to follow information movement.

The following terms and definitions will be adhered to for purposes of this disclosure. As used herein, a scrolling operation partially displaces an existing display of program titles, preferably by one "row" or "column", although scrolling may encompass more than simple pixel-to-pixel copy or shift operations. Scrolling also may appear either as fluid motion or as a step. In contrast, a paging operation typically displaces at least half of an existing display of program titles (e.g., a "half-page"). A video-compatible output may take one of many forms, depending on the capabilities of the video system: It may comprise, e.g., a baseband

20

25

ş.

5

NTSC or PAL analog signal, separate RGB signals, a digital signal such as an HDTV or MPEG bitstream, a bitmap, or even a set of instructions for rendering a displayable picture.

The preferred embodiments disclosed below were selected by way of illustration and not by way of limitation. Referring to Figures 3-9, representative EPG displays are shown for several embodiments of the present invention.

Figure 3 shows a basic EPG display 50 according to one embodiment. Columns 52, 54, 56, and 58 correspond to the four temporally consecutive time slots shown in the column headings, and column 60 contains channel identifiers, each corresponding to a row of that channel's programming. The remainder of display area 50 contains program titles, each title displayed in a box aligned with its broadcast channel and broadcast time. If a program occupies more than one time slot, its box will occupy the appropriate number of time slots, and if its broadcast time is not entirely within the range of time slots currently displayed, a continuation is indicated by an arrow 68 or 69. Note that the start time for "Police Academy" (see arrow 69) is not aligned with the beginning of a time slot, and therefore its box is offset to its true start time.

One "cell" 62 of the display area corresponds to a program selection area. Cell 62 is indicated by a dashed line in Figure 3, although on an actual display the program selection area location is preferably hidden. Instead, the user sees a highlight indication, such as a thicker border, a different background color, and/or a different text color, of the program 64 overlying the program selection area (the program selection area also can be identified as shown by similarly highlighting the channel identifier 66 and time slot 54 corresponding to the program selection area). By first moving a desired program into the program selection area, the user can perform functions such as channel selection, VCR tape setup, or query functions for that program.

Preferably, the location of the program selection area is fixed in both display

20

5

dimensions. As the user manipulates up/down navigation controls, the display scrolls vertically to align a different channel identifier with the program selection area display row. As the user manipulates left/right navigation controls, the display scrolls horizontally to align a different time slot with the program selection area column. Although the user may be provided a function for changing the preferred location of program selection area 62 on display 50, a position near the center of display 50 allows the user to view program titles in the peripheral areas of the display before shifting them into the program selection area. The scrolling/display refresh operations can then avoid some of the disorientation that can result with prior art systems that have a fixed/paging display with a roving cursor.

Referring to Figure 4, an EPG display 70 according to a second embodiment of the invention is shown. In display 70, the scrollable program title area is reduced in size to allow for a program details area 76. Program details area 76 contains expanded information for the program selection area row 74. For instance, the channel information box in area 76 can display additional information about the channel identifier of row 74. Program description areas 80 and 82 correspond to the program titles currently on the selection row, i.e., titles 62 and 78. Each description area contains additional information about the corresponding program title, such as a short description of the program's content, whether it is a repeat, whether it is closed captioned, and what the program's rating is. Secondary information such as whether the program is set for taping, has been taped, etc., can also be displayed in this area.

Figure 5 depicts an EPG display 90 according to a third embodiment wherein the program details area and the program selection area are integrated in a single area 92. As a program title is scrolled into area 92, the details associated with the program title are automatically displayed. Thus, in Figure 6, a user has, starting from the display of Figure 5, scrolled the display up two rows such that the program originally appearing in program

10

15

20

25

selection area 94, with details, now appears in cell 102 without details. Meanwhile, area 92 now shows the details for the currently selected channel and its corresponding programming.

Figure 7 shows EPG display 90 after the user has scrolled the display one time slot left from the display of Figure 6. Program selection column 54 now contains the 9:00 PM timeslot. The selected program 112 occupies the two middle timeslots of the display, instead of the left two timeslots of the previous display. Note that if more than one program overlaps the selection cell (e.g., because of an offset start time), the EPG can select the program with the greatest overlap as the selected program.

A display according to the present invention need not present information in a boxed row-column format. A variety of three-dimensional appearance formats can be used to aid user comprehension or just to make the display more visually appealing. For instance, Figure 8 shows an EPG display 120 that displays programming with the appearance of a stack of file cards. The top row of file cards displays timeslots (e.g., 54) and the left row of file cards (e.g., 122) displays channel identifiers. Each program title is displayed on a file tab (e.g., 124), with the width and position of the filetab corresponding to the run-time, start time, and channel identifier of that program title.

In one display mode (not shown) analogous to Figure 3, only the file tabs 124 are shown for the programs, and no program details are displayed. In the display mode shown in Figure 8, the program details are displayed for the row of cards 126 corresponding to the program selection area, and the card 128 overlapping the program selection area is highlighted. Preferably, the user can toggle between these display modes.

When the user signals the EPG to scroll, the three-dimensional stack of cards moves accordingly. For instance, if the display is scrolled up, the cards can appear to flip as if they were attached to a rotary desk file. Or, the cards can move like files being lifted from a file cabinet, e.g., the next row of tabs can move up until only the tabs show on the previously

10

15

20

25

selected row of cards, as the whole display scrolls up slowly.

Figure 9 illustrates another three-dimensional EPG appearance 140 according to an embodiment of the invention. Program information in EPG 140 is arranged along the rim of what appears to be a large "wheel". The appearance of the rim of a wheel viewed in perspective can be achieved by offsetting time slot information in adjacent rows elliptically as shown. Also, the slant of the font can be varied, lighting/shading can be varied across the wheel, and other similar visual (and/or audible) effects can be used to enhance the illusion of a moveable wheel.

Preferably, the program selection row 142 is placed on the wheel where the rim is "parallel" to the plane of the EPG display as shown. Wheel sector 144 indicates the selected channel identifier, and time slot identifier 54 is aligned with the rim sector corresponding to the selection area. The program title 146 overlapping the program selection area is highlighted. Below the wheel, a program details area 150 can be displayed with a channel details area 156 and corresponding program details areas 152 and 154.

When the user selects up or down navigation, scrolling can be animated through wheel rotation, with program details displayed for programs as they pass program selection row 142. Left/right scrolling can also use animation, e.g., by dropping out a time slot sector of the wheel and sliding the wheel over until the next time slot is visible.

Figure 10 illustrates an EPG display 160 for an alternate embodiment of the invention. In this embodiment, timeslots are arranged down column 162, and channel identifiers are arranged across row 164. Channel identifier 166 is highlighted to indicate that the displayed program titles correspond to that channel. Program selection row 168 contains expanded information for the program corresponding to the timeslot aligned with the selection row.

In operation, when the user selects up or down navigation, the timeslots and programs will scroll accordingly to place a new program in program selection row 168. When the user

10

15

20

25

selects left or right navigation, the channel identifiers in row 164 will scroll to place a new channel identifier at location 166, and the programs for that channel identifier will be displayed. Although a two-dimensional display is shown in Figure 10, three-dimensional effects can also be combined with this embodiment.

The present invention can be embodied in many appliances, including a cable-TV set top box, a VCR, a television receiver, or an add-on appliance. Figure 11 shows the components included in a typical EPG display system embodiment 170. A CPU 172, e.g., a programmed microprocessor or digital signal processor, performs the bulk of the logical functions of system 170. A system memory 178, e.g., random access semiconductor memory (RAM), stores schedule information, and may store graphical data used to render screen displays. Some user control means, such as infrared detector 176 (or front-panel or wired remote controls, not shown) is provided to allow a user to control the system. And video display generator 174 outputs a video-compatible electronic programming schedule display.

CPU 172 is coupled to system memory 178, video display generator 174, and infrared detector 176, as well as to several outside signals. During operation, CPU 172 receives schedule data 180 (e.g., program start/stop times, channel identifier, program details) from an external source, and stores this data to system memory 178. The processor responds to commands received via infrared detector 176, e.g., by issuing control commands 182 to an external system such as a tuner or VCR (not shown), by changing the content or appearance of the formatted information it supplies to video display generator 174, or both.

In responding to control commands, CPU 172 will typically reference the program information for the program appearing in the program selection area of the display. For instance, if a user issued a "record program" command, CPU 172 can respond by retrieving channel, start time, and stop time for the program, and can even check for recording conflicts. Assuming no conflicts exist, a control command 182 is issued to an attached VCR timer (not

10

15

20

25

shown) to program it to record the channel at the designated time, and the record command is stored to system memory 178 for future reference.

In responding to display manipulation commands, CPU 172 will typically retrieve schedule information from system memory 178 and format this information appropriately before supplying it to video display generator 174. For instance, video display generator 174 may comprise a video RAM (VRAM) that CPU 172 stores bitmap information into. CPU 172 retrieves the information needed for the current display, e.g., program titles and details that are visible with the currently displayed range of timeslots and channel identifiers. CPU 172 then displays this information by generating a bitmap of formatted information and storing this bitmap to the VRAM in video display generator 174.

The various display screen appearances and scrolling effects described in conjunction with Figures 3-10 can be implemented by applying known computer graphics techniques to a particular arrangement of the schedule data by CPU 172. For instance, when a user issues a command that requires display scrolling, CPU 172 (or video display generator 174 if equipped for bitmap manipulation) can cause appropriate portions of the formatted bitmap to smoothly scroll at a predetermined rate.

Figure 12 shows an EPG display system 170 connected in a tuner 190, which may, e.g., reside in a VCR, a television receiver, or a set-top box. A TV tuner/cable decoder 192 receives a TV signal 188, which may comprise multiple VHF and UHF broadcast signals, cable broadcast signals, etc. In a typical application, schedule data 180 is piggybacked on the received TV signal, and tuner/decoder 192 extracts this data and supplies it to EPG display system 170. Tuner/decoder 192 also demodulates one (or more) of the RF signals corresponding to a selected channel identifier.

Remote control 184 operates EPG display system 170 as described above. When the user issues a command that requires a channel change, EPG display system 170 issues a

10

15

20

channel select signal command 196, causing tuner/decoder 192 to demodulate a different RF signal according to signal 196.

Video switcher 194 selects video out signal 200. Normally, the output of tuner/decoder 192 is selected as video out signal 200. When the user activates EPG display system 170, video switcher 194 selects EPG video signal 198 as video out signal 200.

Although most or all of the functionality of the embodiments of the present invention can be implemented in special-purpose hardware, it is more preferable that a programmable processor be used with an EPG program. Such a program can partition EPG functionality into several modules—for instance, a program schedule information manager can handle storage and retrieval of program schedule information from an EPG database, a display scroll controller can respond to externally-generated program guide step navigation commands by calculating an updated viewable subset of the program schedule information, and a program schedule information formatter can take the viewable subset and format it for display.

One of ordinary skill in the art will recognize that the concepts taught herein can be tailored to a particular application in many advantageous ways. For instance, the program selection area can remain fixed in one direction only, i.e., constrained to one row of the display but allowed to move freely from column to column. One or more of the disclosed display embodiments can be combined with others of the embodiments, or with other display modes, in a selectable display system. Such minor modifications are encompassed within the invention, and are intended to fall within the scope of the claims.

10

15

20

WHAT IS CLAIMED IS:

1. A method for displaying an electronic program guide to a viewer, the method comprising:

displaying multiple channel identifiers on a display;

displaying multiple time slot identifiers on the display;

displaying multiple program titles on the display, each program title located in a display area corresponding to the displayed channel identifier of the channel carrying the program and the displayed time slot identifier corresponding to the time slot of the program;

fixing a program selection area corresponding to a predefined selection region of the display; and

scrolling the program titles on the display in response to viewer requests, thereby changing the program corresponding to the program selection area.

- 2. The method of claim 1, wherein fixing a program selection area comprises bounding the program selection area from movement corresponding to one display dimension, while allowing the program selection area to move in the other display dimension.
- 3. The method of claim 1, further comprising communicating the location of the selection region to the viewer by highlighting at least one of the time slot identifier and the channel identifier aligned with the selection region.
- 4. The method of claim 1, wherein scrolling comprises moving the display contents to give the appearance of fluid motion.
- 5. The method of claim 1, wherein scrolling is accompanied by a visual scrolling

10

15

6. The method of claim 1, further comprising displaying program details for the program appearing in the selection region in a program details area of the display, and updating the program details when a different program title is scrolled into the selection region.

- 7. The method of claim 6, wherein the program details are simultaneously displayed for multiple programs corresponding to the displayed channel identifier of the program appearing in the selection region, the program details for each one of the multiple programs displayed in a section of the program details area corresponding to that program's time slot.
- 8. The method of claim 7, wherein the selection region and the program display area appear as a single area.
- 9. The method of claim 8, wherein the single area is approximately centered in one dimension of the display.
- 10. The method of claim 6, wherein displaying multiple program titles comprises displaying the program titles in bounded display areas resembling a three-dimensional stack 20 of file tabs, and scrolling the program titles comprises manipulating the stack to create the appearance of the display of file contents for a file tab when the file tab is scrolled into the selection region.
- 11. The method of claim 10, wherein the width and position of a file tab correspond to 25 Docket #8371-35

10

15

20

the run-time and start time of the program whose title is displayed in the file tab.

- 12. The method of claim 6, wherein displaying multiple program titles comprises displaying the program titles in bounded display areas resembling sectors on the rim of a wheel, and scrolling the program titles comprises manipulating the wheel to create the appearance of wheel rotation.
- 13. The method of claim 1, wherein displaying multiple program titles comprises displaying the program titles in bounded display areas resembling sectors on the rim of a wheel, and scrolling the program titles comprises manipulating the wheel to create the appearance of wheel rotation.
 - 14. An electronic program guide display system comprising:

user control means for issuing program guide navigation commands including up, down, left, and right step commands;

a system memory to store schedule information;

a processor to store and retrieve schedule information to and from the system memory and format the retrieved information, the processor associating a fixed program selection area with information, contained in the retrieved schedule information, about a specific program, and responding to at least one of the program guide navigation commands in one operational mode by scrolling the formatted information such that information about a different specific program corresponds to the fixed program selection area; and

a video display generator to receive the formatted information from the processor and output a video-compatible electronic programming schedule display.

10

15

25

15. The electronic program guide display system of claim 14, wherein the user control means comprises:

a remote control having manually operable controls for up, down, left, and right step commands, the remote control generating a signal corresponding to the operation of each control; and

a detector to receive signals from the remote control and provide indications of these signals to the processor.

16. The electronic program guide display system of claim 14, further comprising a tuner to receive television signals, extract broadcast schedule information from the television signals, and supply the extracted broadcast schedule information to the processor.

17. The electronic program guide display system of claim 14, incorporated in a television tuner.

18. The electronic program guide display system of claim 14, incorporated in a television receiver.

19. The electronic program guide display system of claim 14, incorporated in a video20 recorder.

20. An article of manufacture comprising a computer-readable medium containing an EPG program, the EPG program causing a processor to execute:

a program schedule information manager to store and retrieve program schedule information;

a display scroll controller to respond to externally-generated program guide step navigation commands by calculating an updated viewable subset of the program schedule information; and

a program schedule information formatter to format the viewable subset of the program schedule information for display.

21. The article of manufacture of claim 20, wherein the program schedule information formatter formats the viewable subset of the program schedule information as a bitmap.

10

ELECTRONIC PROGRAMMING GUIDE BROWSING SYSTEM

ABSTRACT OF THE DISCLOSURE

An electronic programming guide (EPG) browsing system and method for its operation are disclosed. A viewer navigates this EPG using traditional up, down, left, right commands. But unlike the prior art, which responds to these commands by moving a selection area across a display of program titles, this EPG responds by scrolling the display while leaving the program selection area fixed. This can improve viewer interaction and the display of information for an EPG display, as paging can be avoided and the display scrolling motions correspond with the user's control manipulations. In a preferred embodiment, the program selection area is expanded such that additional details are displayed for a program when it enters the program selection area.



Fig. 1 (Prior Art)

1		T		Territoria para illa	ı	
		11:00 AM	11:30 AM	12:00 PM		
	(2)	JUDGE(PART 1)	JUDGE(PART 2)	AT NOON		
	4	GOLDEN GIRLS	NEWS	INSIDE EDITION		
	5	YOUNG & RESTLE	SS	NEWS		
36	7	PERFECT STRA	LOVING	ALL MY CHILD		
	9	SESAME STREET				
	(13)	ALL MY CHILDREN	١	NEWS		
	(44)	EVERYDAY		MOVIE		
	A&E	LORNE GREEN'S	WORLD OF S	FUGITIVE		
	CNN	NEWS		NEWS	38	
	DIS	DOROTHY BRIN	GS SOPHIA'S SIST	ER		
	(LIF)	(NANCY WALKER) OVER FROM SICILY AS				
	(TNT)	A BIRTHDAY SU	RPRISE			
	CH 2	2 KNTV-FOX	CBL 2 11:25	TUE APR 3]	

Fig. 2 (Prior Art)




Fig. 4

Fig. 6

POLICE ACADEMY

BASEBALL: HOUSTON ASTROS AT

ATLANTA BRAVES

WTBS

- 54

8:30 PM	9:00 PM	9:30 PM	10:00 PM
NEWSRADIO	JUST SHOOT ME	WILL & GRACE	DATELINE NBC
BUFFY THE VAMPIRE SLAY	FELICITY	STAR TREK: NEXT GENERA	
GUINNESS WORLD RECOR	THE X-FILES	FOX FILES	
SPORTSCEN TER CC	TOUR DE FRANCE: STAGE 15 COVERAGE 173 KM FROM ST. GAUDENS TO PIAU-ENGALY IN THE FRENCH PYRENEES		BASEBALL TONIGHT NIGHTLY BASEBALL NEWS AND HIGHLIGHTS
NYPD BLUE	BEVERLY HILLS, 90210		MASH
RUGRATS	BRADY BUNCH	THE WONDER YEARS	I LOVE LUCY
HERCULES: THE LEGENDA	XENA:WARRIOR PRINCESS		WALKER: TEXAS RANGER
BASEBALL: HOUSTON ASTR	POLICE ACADEMY		
	NEWSRADIO BUFFY THE VAMPIRE SLAY GUINNESS WORLD RECOR SPORTSCEN TER CC NYPD BLUE RUGRATS HERCULES: THE LEGENDA BASEBALL:	NEWSRADIO BUFFY THE VAMPIRE SLAY FELICITY GUINNESS WORLD RECOR THE X-FILES SPORTSCEN TOUR DE FRANC COVERAGE 173 KM FROM ST PIAU-ENGALY IN PYRENEES NYPD BLUE BEVERLY HILLS, ST PIAU-ENGALY IN PYRENEES RUGRATS BRADY BUNCH HERCULES: THE LEGENDA TENSERALL TE	NEWSRADIO BUFFY THE VAMPIRE SLAY GUINNESS WORLD RECOR THE X-FILES TOUR DE FRANCE: STAGE 15 COVERAGE 173 KM FROM ST. GAUDENS TO PIAU-ENGALY IN THE FRENCH PYRENEES NYPD BLUE BEVERLY HILLS, 90210 RUGRATS BRADY BUNCH THE WONDER YEARS THE LEGENDA BASEBALL: POLICE ACADEMY




Fig. 8




Fig. 10




Fig. 11




Fig. 12

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

is attached hereto

[X]

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled ELECTRONIC PROGRAMMING GUIDE BROWSING SYSTEM, the specification of which:

	[]	was filed on	as Ap	plication No.		
	[]	and was amended on		(if applicable)		
	<u>[</u>]	with amendments throu	ıgh	(if applicable)	•	
		that I have reviewed and ng the claims, as amende				itified
I ack of this appli	mowledg cation in	e the duty to disclose inf accordance with Title 37	ormation v 7, Code of	which is material to the Federal Regulations, Se	patentabi ec. 1.56.	lity
(a)-(d) or §3 of any PCT United State for patent or	865(b) of internation of Amore inventor	n foreign priority benefit any foreign application(s onal application which do erica, listed below and ha c's certificate, or of any I e application on which p	s) for pater esignated a eve also id PCT intern	nt or inventor's certifica at least one country oth entified below any fore ational application havi	ate, or §30 er than the ign applic	65(a) e cation
Prior Foreig	gn Applic	ation(s)			Claim Priori []	_
(Number)		(Country)	$\overline{(D)}$	ay/Month/Year Filed)	Yes	No
		n the benefit under Title onal application listed be			(e) of any	r
Provisional	Applicat	ion No.		Filing Date	2	
	•					

I hereby claim the benefit under Title 35, United States Code, Sec. 120 or §365(c) of any PCT international application designating the United States of America listed below and,

insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Sec. 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application: NONE

(Application No.) (Filing Date) (Status) (patented, pending, abandoned)

I hereby appoint the following attorneys to prosecute the application, to file a corresponding international application, to prosecute and transact all business in the Patent and Trademark Office connected therewith:

Customer No. 20575

Attorney Name	Registration No.
Jerome S. Marger	26,480
Alexander C. Johnson, Jr.	29,396
Alan T. McCollom	28,881
James G. Stewart	32,496
Glenn C. Brown	34,555
Stephen S. Ford	35,139
Julie L. Reed	35,349
Gregory T. Kavounas	37,862
Scott A. Schaffer	38,610
Joseph S. Makuch	39,286
James E. Harris	40,013
Graciela G. Cowger	42,444
Ariel Rogson	43,054
Craig R. Rogers	43,888

Direct all telephone calls to Stephen S. Ford at (503) 222-3613 and send all correspondence to:

MARGER JOHNSON & McCOLLOM, P.C. 1030 S.W. Morrison Street Portland, Oregon 97205

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor's signature:

Residence:

Vancouver, Washington

Citizenship:

United States of America

Post Office address:

11301 SE 10th Street, #191

Vancouver, Washington 98664

Full name of first inventor:

Larry Alan Westerman

Inventor's signature:

Residence:

Portland, Oregon

Citizenship:

United States of America

Post Office address:

3703 NW Thurman Street Portland, Oregon 97210